

#### **Authorized Distributor for**

## **SMAP - INDUSTRIAL BRANDS**







2014 4th Quarter



# Sales Blaster



#### WILLIAMS

#### 142 PIECE PETROLEUM OIL FIELD SERVICE SET

Contains the following tools:

Product Category	Number of Pieces	Product Category	Number of Pieces
Pick up Tool/Mirror	2	Screwdrivers	12
Pliers	10	Sockets	68
Ratchet, Drive Tools &		T-Handles	10
Accessories	11	Wrenches	31

Note: Complete set contents are listed in Appendix A

**Set Configurations Available** 

Product Code	Description	
WMSC-142TB	142 Piece Petroleum Oilfield Service Set	
WMSC-142	Tool Set Only (141 Pieces)	
Tool Boxes Included		
W40RC7	40" Wide x 20" Deep 7 Drawer Roll Cabinet	

#### Features

The set provides the tools necessary for Petroleum Oilfield general service and repair
applications. Included are a wide variety of pliers, adjustable wrenches, combination
wrenches, ratcheting combination wrenches, 1/4" and 3/8" drive sockets, ratchets and
accessories. Also includes is professional pick up tools and mirror.

WMSC-142 Tools Only List Price \$ 2742.15

Sales Price \$1,371.10

WMSC-142TB Tools and Roll Cabinet List Price \$ 5,449.45

Sales Price \$2,724.75



Toll Free Ontario: 1-800-263-9244 - Toll Free Calgary: 1-800-663-4779 http://www.torqueproductscanada.ca

#### WILLIAMS

## HEAVY-INDUSTRIAL 54" ROLL CABINET WITH OPTIONAL HARDWOOD TOP

Heavy-Industrial roll cabinet designed for the toughest work environments

Product Code	Description
50885	54" Wide x 24 1/2" Deep 12 Drawer Roll Cabinet
50111	Hardwood Top Only

Color Options: Standard color is red. To order in an optional color, simply add the appropriate color code to the end of the product code. Example: To order #50885 in Blue, specify product code 50885BL

50885 (Roll Cabinet only) Red, Black, or Blue List Price \$ 8,218.70

Sales Price \$4,109.35

50885W (Roll Cabinet with Hardwood Top) Red, Black, or Blue List Price \$ 8,462.60

Sales Price \$4,231.30

# Color Options Red: Standard Black: B Blue: BL Color Options with Hardwood Top: W Red with Hardwood Top: BW Blue with Hardwood Top: BLW

Color Options with Hardwood Top: To order in an optional color with a hardwood top simply add the appropriate color and hardwood top code to the end of the product code. Example: To order #50885 in Blue with a Hardwood top, specify product code 50885BLW



#### WILLIAMS

#### 42" SUPERVALUE STAINLESS STEEL

Product Code	Description								
50732	32 42" Wide x 18" Deep 5 Drawer chest/23 drawer cabinet combination								
50732 Combina	ation Overall Dimension	ons							
Capacity (cu. in.)	Width (inches)	Depth (inches)	Height (inches)						
24,722	42	18	61						
Top Chest Drav	ver Sizes								
Number	Width (Inches)	Depth (Inches)	Height (Inches)						
9	37	18	2						
1	37	18	3						
1	37	18	5						
Roll Cabinet Dr	awer Sizes								
Number	Width (inches)	Depth (inches)	Height (inches)						
1	37	18	4						
2	37	18	2						
6	37	18	3						
2	37	18	6						
1	37	18	1						

#### **Features**

- · Stainless steel 430 with painted drawer shells
- 11 drawer chest / 12 drawer cabinet combination
- 45 ball bearing extension slides
- Drawer pulls: Aluminum Extrusion
- Drawer Liner: Solid EVA

50732 List Price \$ 4,815.00

Sales Price \$2,407.50

Toll Free Ontario: 1-800-263-9244 - Toll Free Calgary: 1-800-663-4779

http://www.torqueproductscanada.ca





Sales Price \$2,037.30

#### 55" PROFESSIONAL SERIES ROLL CABINET

Designed for ind	ustrial use		
Product Code		Description	
W55RC5BS	55" Wide x 24" Dee	p 5-Drawer Roll Cabinet	with Bulk Storage
W55RC5BS Roll C	Cabinet Overall Dim	ensions	
Capacity (cu.in.)	Width (Inches)	Depth (Inches)	Height (Inches)
25,000	55	24	39
Roll Cabinet Drav	wer Sizes		
Number	Width (inches)	Depth (inches)	Height (inches)
4	30 %6	21 1/8	5
1	30 %16	21 %	7
Bulk	23	21 1/8	33

\* USA

#### Features

- · Wide Drawer to hold long tools such as pry bars and extensions.
- Bulk section with adjustable shelf perfect for storing large, bulky tools
- · Made of High-Quality Class I steel to enhance strength and finish.
- Double wall construction provides strength.
- · Reinforcement corner gussets add strength and reduce racking.





#### TORQUE & ANGLE™ ELECTRONIC TORQUE WRENCHES

The CDI Torque and Angle Electronic Wrench incorporates 21st Century Technology in a simple to use digital wrench. Specifically designed to meet the needs of the torque professional where torque plus angle is required. It features three units of torque, ft.lbs. In.lbs. and Nm as well as the angle mode.

The Torque and Angle wrench allows the technician to apply a specific torque load, followed by the angle specification, all in one convenient wrench. It features a three LED light bar and audible buzzer. As the angle mode is a separate function, the wrench can also be used as a stand alone digital torque wrench.

#### **Features**

- Accuracy is +/- 2% CW, +/- 3% CCW of indicated value
- Gyro chip senses 360° of movement, and is accurate to within +/- 3.8°
- No maintenance, just change batteries at 80 hours
- VERY easy to set up and use quickly
- Almost impossible to over torque
- Digital torque measurement and digital angle measurement in one convenient package
- Ergonomic non-slip cushion grip
- 15% Flex Ratchet head

- · Long battery life, uses two CR123 lithium batteries
- Convenient, push button socket release ratchet head
- 3 step LED visual signal system:
   Yellow Light = approaching target torque
   Green Light = target torque reached
   Red Light = over torque indicator
- N.I.S.T. traceable certificate of calibration included

#### TORQUE & ANGLE™ ELECTRONIC TORQUE WRENCHES

						Length	Wt.	List Price	Sales Price:
Product Code	Drive	Ft. Lb.	In. Lb.	Nm	Angle	In. (mm)	Lbs. (kgs)		
1002TAA-CDI	3/8"	10 - 100	120 - 1200	12.6 - 135.6	0-360°	17 (432)	2.2 (1.0)	\$ 1,046.35	\$ 523.20
2503TAA-CDI	1/2"	25 - 250	300 - 3000	33.8 - 338	0-360°	27 (686)	3.5 (1.59)	\$ 1,183.40	\$ 591.70

The certification of accuracy provided per ASME and ISO Standards is 20% to 100% of full scale.



#### COMPUTORQ 3 ELECTRONIC TORQUE WRENCHES

The COMPUTORQ 3 Electronic Torque Wrench is a simple to use digital readout wrench that displays real time torque values in any of four torque units, ft.lbs., in.lbs., Nm, kg.cm. Simply set the desired torque value and apply force until the green LED illuminates. Great for light industrial, automotive, motorcycle, watercraft and aircraft applications.

#### **Features**

- · Sleek new design
- 15-degree flex ratcheting head
- Push button socket release head
- · Large, easy to read digital display
- Long battery life, uses 2 each CR123 lithium batteries
- Ergonomically designed molded non-slip rubber grip
- Torques in both clockwise and counterclockwise directions
- Battery saving auto-shutoff after two minutes
- COMPUTORQ 3 remembers last unit and torque setting selected
- Audible tone sounds when set torque value is reached, if the set torque value is exceeded, an alarm tone will sound.
- 3 color LED light bar
- YELLOW LED indicates approaching desired torque setting GREEN LED indicates desired torque value is reached
- RED LED indicates fastener was overtorqued, loosen and retighten.
- When desired torque value is reached, display will hold value and flash for ten seconds.
- COMPUTORQ 3 will operate in any of four torque units, foot pounds (ft. lbs.), inch pounds (in. lbs.), newton meter (Nm) or kilogram centimeter (kg. cm.).
- ACCURACY:
- $\pm 2\%$  CW of readings from 20% to 100% of full scale  $\pm 3\%$  CCW of readings from 20% to 100% of full scale
- N.I.S.T. traceable certificate of calibration included



#### STANDARD MODELS

Product Code	Drive	Ft. Lb.	In. Lb.	Nm	Kg. Cm.	Length In. (mm)	Wt. Lbs. (kgs)	List Price	Sales Price:
2401Cl3	1/4"	2.0 - 20.0	24 - 240	2.71 - 27.10	27.6 - 276	15 (381)	2.0 (.91)	\$ 632.05	\$ 316.05
1002CF3	3/8"	10.0 - 100.0	120 - 1200	13.6 - 135.6	138 - 1382	17 (432)	2.2 (1.0)	\$ 682.35	\$ 341.20
2503CF3	1/2"	25 - 250	300 - 3000	33.8 - 338	345 - 3456	27 (686)	3.5 (1.59)	\$ 798.25	\$ 399.15
							* USA		


#### HIGH ACCURACY MODELS

Product Code	Drive	Ft. Lb.	In. Lb.	Nm	Kg. Cm.	Length In. (mm)	Wt. Lbs. (kgs)	List Price	Sales Price:
2401Cl3HA*	1/4"	2.0 - 20.0	24 - 240	2.71 - 27.10	27.6 - 276	15 (381)	2.0 (.91)	\$ 844.40	\$ 422.20
1002CF3HA*	3/8"	10.0 - 100.0	120 - 1200	13.6 - 135.6	138 - 1382	17 (432)	2.2 (1.0)	\$ 894.75	\$ 447.40
2503CF3HA*	1/2"	25 - 250	300 - 3000	33.8 - 338	345 - 3456	27 (686)	3.5 (1.59)	\$1,010.85	\$ 505.45

The certification of accuracy provided per ASME and ISO Standards is 20% to 100% of full scale.



\*HIGH ACCURACY 1% Clockwise direction only.





#### TORQUE SCREWDRIVERS - MICRO-ADJUSTABLE

Adjustable models offer versatility for applications that require more than one torque value. These torque screwdrivers are particularly suited for the electronics industry and for instrument assembly work. A simple, cam-over design prevents over-tightening and possible damage to components.

Torque settings are easily and accurately changed with a unique adjusting knob and easy-to-read window scale. Adjusting the screwdriver is simple. Just pull out the adjusting knob to unlock, turn to the desired setting, then push the knob in until it clicks!

Positive locking knob makes accidental setting changes impossible. Automatic lock in counterclockwise direction makes fastener removal a snap. The Micro-Adjustable series includes

six models with torque settings ranging from 20 in. ozs. to 40 in. lbs.

#### **Features**

- 6 models available
- Positive locking pull down adjustment knob
- Trilobular comfort grip
- Universal 1/4" hex bit holder with strong rare earth magnet
- · Cam-over torque limiting clutch
- · Slip resistant finish
- · Easy-to-read window scale

- Liaht weiaht
- Automatic lock in CCW direction disassembly
- Accuracy:  $\pm$  6% of indicated value, CW, from 20% to 100% of full scale
- Individually serialized with matching certificate of calibration traceable N.I.S.T.
- Meets or exceeds ASME B107.14 2004



Automatic lock in

counter-clockwise direction

makes screw removal a snap

Certified to the following

ASME B107.14 - 2004 and

industry specifications:

ISO 6789

Industry standard 1/4" hex receiver allows use of all standard driver bits (Phillips,Torx, etc.)

Cam-over torque limiting clutch for repeatability and accuracy

Lightweight yet rugged construction, built to last

Made in U.S.A.

#### TOROLIE SCREWDRIVERS - MICRO-ADILISTARI E

TUNQUL	CULMANDUIAF	NO MILCUO	ADJUSTA	DLL				
			WxL	Wt.	List			
Product Code	Torque Range	Increments	Inches	Oz.	Price	Sales Pric	ve:	
61SM	20 - 100 in. ozs.	1 in. oz.	1.1 x 5.5	6.8	\$ 332.50	\$166.25		
151SM	3 - 15 in. lbs.	.2 in. lbs.	1.1 x 6.25	8.0	\$ 340.60	\$170.30		Permanently lubricated internal mechanism, never
401SM	5 - 40 in. lbs.	.5 in. lbs.	1.2 x 6.75	10.8	\$ 348.70	\$174.35	Will pass total	needs oil
61NSM	10 - 80 cNm	1 cNm	1.1 x 5.5	6.8	\$ 332.50	\$166.25	0 9	
151NSM	40 - 200 cNm	2 cNm	1.1 x 6.25	8.0	\$ 340.60	\$170.30	Easy-to-read window	
401NSM	50 - 450 cNm	5 cNm	1.2 x 6.75	10.8	\$ 348.70	\$174.35	scale and adjustment	
							knob for precise	
	<b>TODOUS</b>						settinas	



#### TORQUE SCREWDRIVERS - SINGLE SETTING

The tamper resistant design of the Single Setting series is particularly suited for high-volume use in assembly operations. A simple, cam-over design prevents over-tightening and possible damage to components.

Torque screwdrivers may be ordered factory pre-set at an additional charge or they may be easily set by the operator with any quality torque calibration system. The end cap removes for easy access to the 1/8" hex adjustment screw. A hex adjustment key is included with each driver.

The Single Setting series includes four models with available torque settings from 6 in. ozs. up to 40 in.lbs. When precision and repeatability are a must, the choice is simple - CDI Torque Screwdrivers.

# CDITORQUE

#### **Features**

- Factory Pre-Set models are set at the factory to the customer's specified torque setting and are furnished with a Certificate of Calibration
- Please specify desired torque setting when order is placed
- 4 models available
- · Trilobular comfort grip
- Universal 1/4" hex bit holder with strong rare earth magnet
- · Cam-over torque limiting clutch
- · Rugged, light weight aluminum body
- · Automatic lock in CCW direction
- Accuracy:  $\pm$  6% of indicated value, CW, from 20% to 100% of full scale
- Meets or exceeds ASME B107.14 2004

#### TORQUE SCREWDRIVERS - SINGLE SETTING

		Single Settin	g	Factory Setting			
Torque Range	Product Code	List Price	Sales Price	Product Code	List Price	Sales Price	
6-32 in ozs	21SP	\$248.15	\$124.10	21SP-SET	\$359.00	\$179.50	
10-100 in ozs	61SP	\$261.15	\$130.60	61SP-SET	\$372.00	\$186.00	
1.5-15 in lbs	151SP	\$261.15	\$130.60	151SP-SET	\$372.00	\$186.00	
4-40in lbs	401SP	\$290.30	\$145.15	401SP-SET	\$401.15	\$200.60	



#### QUICK SET SPLIT BEAM TORQUE WRENCHES

This unique "split beam" measuring element provides consistently accurate readings and rugged, trouble-free performance. Fast setting of desired torque is easily accomplished by rotating adjustment knob until required torque value is displayed in the torque window. 34" drive model features three-piece construction for easy disassembly and storage.

#### **Features**

- CDI Sealed Ratchet Head is virtually maintenance free; more time working with the tool, less time on tool maintenance
- Thumb Screw Type Adjustment is faster than cycling through a micrometer style torque wrench. Guard prevents setting from being changed accidentally. Setting is displayed in window. Conversion table to Nm displayed on handle
- Sealed Neck keeps dust and grit away from the torque mechanism for longer tool life
- •"Split Beam" Measuring Element provides accurate, reliable readings and eliminates the heavy coil spring used in conventional click type wrenches. This yields fewer moving parts, reducing friction and wear
- Cushion Grip Handle provides comfort plus control and resists most automotive fluids
- Designed for measuring torque in a clockwise direction only. Wrench is not reversible
- Guaranteed Accuracy: Accurate within ±4% of any clockwise setting from 20% of full scale to full scale.

#### QUICK SET SPLIT BEAM TORQUE WRENCHES

Product Code	Drive Size	Range	Increments	Ratchet	List Price	Sales Price
WSC-50A	3/8	120-600 in. lbs.	10.0 in. lbs.	Flex-Head	\$781.75	\$390.90
WSC-100CA	3/8	20-100 ft. lbs.	2.0 ft. lbs.	Flex-Head	\$751.55	\$375.80
WSC-250CA	1/2	40-250 ft. lbs.	5.0 ft. lbs.	Flex-Head	\$583.30	\$291.65
WSC-400CA	3/4	80-400 ft. lbs.	10.0 ft. lbs.	Fixed-Head	\$1,176.05	\$588.00
WSC-600CA	3/4	200-600 ft. lbs.	10.0 ft. lbs.	Fixed Head	\$1,236.65	\$618.35







#### FLEX-HEAD MICROMETER ADJUSTABLE TORQUE WRENCH

Flex-Head English Single Scale

#### **Features**

- · Single scale, dual direction
- Positive lock with spring loaded pull down lock ring
- Fast, accurate and easy to set
- Easy-to-read laser marked scales
- Flex Head pivots 15 degrees in both directions
- Rugged for Industrial use
- $\bullet$  Accuracy:  $\pm$  4% CW  $\pm$  6% CCW of indicated value, CW, from 20% to 100% of full scale
- Meets or exceeds ASME standards, ISO 6789 standards
- Individually serialized with matching certificate of calibration traceable to N.I.S.T.

#### FLEX-HEAD MICROMETER ADJUSTABLE TOROUE WRENCH

Product Code	Torque Range	Sq. Drive	Incr.	List Price Sales Price
802MFRFMHSS	10-80 ft. lb.	3%"	0.5	\$ 304.25 \$ 152.15



Toll Free Ontario: 1-800-263-9244 - Toll Free Calgary: 1-800-663-4779

http://www.torqueproductscanada.ca

## **SINDUSTRIAL BRANDS**



#### WILLIAMS

#### COMPACT MULTI-METER

Product Code	Description	List Price	Sales Price
40284	Compact Multi-tmeter	\$ 426.80	\$ 213.40

#### **Features**

- · Auto ranging meter selects the range setting of the range automatically
- Manual range button converts the meter form auto to manual ranging for selectable range limits for increased control of the reading
- Multiple dial settings offers test settings such as: AC/DV Amps, milliAmps and micro Amps, AC/DC Volts, Diode test, Continuity and Resistance (Ohms), for a wide variety of common electrical tests
- 3,260 count LCD display is large and easy to read
- Data hold button captures and locks in readings
- Protective shock absorbing boot cushions the meter if it is dropped
- Built in tilt stand allows the meter to stand upright for easier visibility
- Dial positions activate the meter along with two OFF positions for easy ON/OFF control
- · Sleep mode allows the meter to turn off automatically to conserve battery life
- Analog bar graph helps visualize rapidly changing signals
- CULus 3111 agency approval insures the meter conforms to materials, components and testing set forth buy the agency for safety
- CATII 1,000V and CAT III 600V rating positions it at the higher side of this safety rating for user selection

#### WILLIAMS

#### RECHARGEABLE MULTIFUNCTION ALUMINUM LED WORKLIGHT


Product Code	Description
5101	Rechargeable Multifuntcion Aluminum LED Worklight

#### **Features**

- · Extra long magnet end
- Super bright
- 33 White Color LEDs

#### Accessories included

- 1x26650 li-ion rechargeable battery, 3.7V 4000mAh, with circuit board protection from over-charging and over-discharging
  • AC100-240V adaptor, 50/60Hz, Output DC4.2V 1A
- DC12V car charger, output DC4.2V 600mA



Sales Price \$ 111.40







#### TOOLS@HEIGHT ADJUSTABLE CONSTRUCTION WRENCH

#### Heavy-Duty With Polished Head and Measurement Scales

Product Code	Length	Maximum Jaw	Head Thickness	Weight
	(Inches)	Opening (Inches)	(Inches)	(lbs)
13625-TH	15	1 ½	<sup>23</sup> / <sub>32</sub>	2.24

#### Features

- · Tapered spud handle locates and aligns bolts and rivets.
- · Hole in handle permits tethering wrench for safety.
- · Measurement scale on head conveniently shows fastener size.

· Economical black phosphate finish resists rust.

13625-TH List Price \$ 93.09

Sales Price \$ 46.55







#### TOOLS@HEIGHT 1/2" DRIVE SCAFFOLDING RATCHET

Product Code	Description	Weight (lbs)	List Price	SalesPrice
BS-62	Scaffolding Ratchet with out pry bar	2.55	\$210.65	\$105.35
BS-63B	Scaffolding Ratchet with pry bar	2.74	\$221.75	\$110.90

#### **Features**

- 1/2" Drive with pinned 7/8" 6-point socket
- 36 tooth gear with 10 degree of engagement allows engagement in tight working areas
- Bronze hammer head reduces rebound
- Pry bar handle provide alignment option
- Socket feature SUPERTORQUE lobular opening for greater turning power without deforming the fastener
- Easy access reversing lever allows user to change working direction quickly and easily with only one hand
- Tethering device attached to handle









#### TOOLS@HEIGHT DOUBLE HEAD FLARE NUT WRENCH SET

Chrome Satin Finish, 6 Point, SAE

Fed. Spec.: ANSI B107.6

WS-14-TH 5 Piece Double Head Flare Nut Wrench Set, 6 Point, SAE, in Pouch – R-4 2.71 lbs

#### Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
XFN-1214-TH	3/8 × 7/16	XFN-2022-TH	5/8 × 11/16	XFN-2836-TH	½×1⅓
XFN-1618-TH	½ × %6	XFN-2432-TH	<sup>3</sup> / <sub>4</sub> × 1		



- Will not mar fittings on pipes and tubing.
- Satin chrome textured finish provides great feel and extra gripping power.
- · Recessed corners in ends provide extra turning power.

WS-14-TH List Price \$ 216.94

Sales Price \$ 108.45



















#### TOOLS@HEIGHT SLUGGING WRENCH RETAINERS

Product Code	Stud Size	Length	C	D	List Price	Sales Price
SWR-24	3/8	1 <sup>29</sup> /32	1 15/16	1 <sup>3</sup> / <sub>4</sub>	\$252.64	\$126.30
SWR-28	7/8	2	2 3/16	1 29/32	\$277.90	\$138.95
SWR-32	1	2 <sup>1</sup> / <sub>8</sub>	2 <sup>1</sup> / <sub>2</sub>	2 1/32	\$285.33	\$142.65
SWR-36	1 <sup>1</sup> /8	2 1/4	2 <sup>1</sup> / <sub>2</sub>	2 <sup>5</sup> / <sub>32</sub>	\$332.89	\$166.45
SWR-40	1 <sup>1</sup> / <sub>4</sub>	2 <sup>3</sup> /8	2 7/8	2 <sup>9</sup> / <sub>32</sub>	\$380.44	\$190.20
SWR-44	1 <sup>3</sup> / <sub>8</sub>	2 <sup>15</sup> / <sub>32</sub>	3 <sup>1</sup> / <sub>8</sub>	2 <sup>3</sup> / <sub>8</sub>	\$475.56	\$237.80
SWR-48	1 <sup>1</sup> / <sub>2</sub>	2 5/8	3 <sup>1</sup> / <sub>8</sub>	2 1/2	\$523.11	\$261.55
SWR-52	1 <sup>5</sup> /8	23/4	3 <sup>5</sup> /8	2 21/32	\$570.67	\$285.35
SWR-56	1 <sup>3</sup> / <sub>4</sub>	2 <sup>7</sup> /8	3 <sup>7</sup> /8	23/4	\$665.78	\$332.90
SWR-60	1 7/8	3	4 <sup>1</sup> / <sub>2</sub>	2 7/8	\$713.33	\$356.65
SWR-SET	10 Piece Set, cor	ntains one of eac	h size.		\$4,477.90	\$2,238.95

#### **Features**

- $\,$  SWR-SET includes one of each retainer in a plastic box.
- · Retainers feature attachment point to prevent drop during use.
- Slugging Wrench Retainers thread onto the end of the stud over the slugging wrench to ensure the wrench stays affixed to the fastener
- A spring loaded plate allows for easy adjustment of the wrench without having to unscrew the retainer.
- Increased productivity and safer operation by eliminating the need for a second worker to hold and slugging wrench in place
- · Available in 10 sizes, marked with stud sizes (not hex sizes)
- · Configured to work with offset and straight handle slugging wrenches



#### TOOLS@HEIGHT DRILLING HAMMER

Fiberglass Handles with Cushion Grip										
Product Code	Handle Length (Inches)	Overall Length (Inches)	Weight (lbs.)							
20678-TH	8 1/4	10 1/4	2 55							

#### Features

- · Handles are durable and comfortable.
- · Heavy duty construction for strength and durability.











#### WILLIAMS

#### DEAD BLOW SLEDGE HAMMERS WITH REPLACEMENT TIPS

Product Code	Weight (lbs)	Handle Length (Inches)	Overall length (Inches)	Face Diameter (Inches)	List Price	SalesPrice
SHSFDB-8	8	29	32	2	\$ 904.50	\$452.25



#### 4" Replacement Tip

Product code	Hardness	Color	List Price	Sales Price	Product code	Hardness	Color	List Price	Sales Price
SHSFDB-40S	Soft	Brown	\$132.95	\$66.50	SHSFDB-40N	Med/Hard	Cream	\$170.65	\$85.35
SHSFDB-40M	Medium	Red	\$132.95	\$66.50	SHSFDB-40H	Hard	Black	\$170.65	\$85.35
SHSFDB-40T	Tough	Green	\$132.95	\$66.50	SHSFDB-40XH	Extra hard	Yellow	\$170.65	\$85.35

- Shot loaded dead blow heads deliver the impact of a steel hammer with little or no rebound
- Oversized head and striking face minimizes miss hits, applying force with greater impact and repeatability
- Strong yet light weight handles provide 90% of the total hammer weight at the head









SHSFDB-8





SHSFDB-40S

SHSFDB-40T

SHSFDB-40XH

#### WILLIAMS

#### LIGHTWEIGHT HANDLE PRY BARS

#### Single Curved Tip

Product Code	OAL	List Price	Sales Price	Product Code	OAL	List Price	Sales Price
C-90	30	\$166.25	\$83.15	C-92	41 ½	\$198.35	\$99.15
C-91	35 ½	\$179.55	\$89.80	C-93	48 1/2	\$216.10	\$108.05

#### Double End

Product code	OAL	List Price	SalesPrice	Product code	OAL	List Price	Sales Price
C-100	33	\$261.55		C-102	44	\$299.25	\$149.65
<u>C-101</u>	38	\$280.40	\$140.20	C-103	50	\$326.95	\$163.45

- Designed with drop forged hardened steel point & wedge ends
- Rust resistant black finish
- Pry bar is chemically bonded to the fiberglass handle.
- · Half the weight of steel pry bars
- · Handle resists heat & cold less flex than a steel bar
- Non-Conductive fiberglass provides insulation from electrical shock
- - Contractors & mechanics for construction & auto repair
  - Municipalities for safe prying, lifting & digging
  - Fire & Police Forcible entry







#### BIG-MOUTH ERGO® ADJUSTABLE WRENCHES

#### Designed According to Bahco's Scientific 11-Step Ergonomic Design Program

5	5 5					
Product Code	Length (Inches)	Maximum Jaw Opening (Inches)	Head Thickness (Inches)	Jaw Tip Thickness (Inches)	List Price	Sales Price
Chrome Finish:						
9031 RC US	8	1 ½	1/2	1/4	\$49.25	\$24.65
Black Phosophate	Finish:					
9029 R US	6	1 1/4	1/2	3/16	\$43.45	\$21.75
9031 R US	8	1 1/2	1/2	1/4	\$41.90	\$20.95
9033 R US	10	1 3/4	5/16	3/4	\$98.55	\$49.30
9035 R US	12	2 3/16	3/8	7/8	\$115.75	\$57.90

#### **Features**

- Extra-wide opening jaws with shorter handle for maximum access in confined areas.
- True ergo® design, with thermoplastic handle and larger grip width.
- · Ideal for plumbers, electricians, and maintenance workers.








#### **ADJUSTABLE WRENCH**

#### Chrome Finish





- · Chrome plated finish allows for easy cleaning after each use.
- · Serrated knurl is designed for quick and smooth adjustments.
- I-Beam designed handle provides strength and durability.
- Inch (SAE) scale is laser-etched on head face for easy determination of bolt head width.









#### ADJUSTABLE WRENCH

#### Comfort Grip

Product Code	Length (Inches)	Maximum Jaw Opening (Inches)	Head Thickness (Inches)	List Price	Sales Price
APC-6A	6	3/4	7/8	\$34.10	\$17.05
APC-8A	8	1	1/2	\$35.85	\$17.95
APC-10A	10	1 11/64	<sup>39</sup> / <sub>64</sub>	\$45.55	\$22.80
APC-12A	12	1 5%	23/32	\$65.60	\$32.80

#### **Features**

- Comfort thermoplastic grips cushion the handle surface and stay comfortable even in extreme temperatures.
- · Chrome plated finish allows for easy cleaning.
- Serrated knurl is designed for quick and smooth adjustments.
- I-Beam designed handle provides strength and durability.
- Inch (SAE) scale is laser-etched on head face for easy determination of bolt head width.

#### WILLIAMS

#### RATCHETING ADJUSTABLE WRENCHES

#### Comfort Grip

Product Code	Overall Length (Inches)	Maximum Jaw Opening (Inches)	Head Thickness (Inches)	List Price	Sales Price
13106	6	13/16	7/16	\$30.15	\$15.05
13108	8	15/16	9/16	\$38.15	\$19.05
13110	10	1 3/16	11/16	\$48.00	\$24.00

#### 13343 3 Piece Set Ratcheting Adjustable Wrench Set, in Pouch

#### Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)
13106	6	13110	10
13108	8		

#### **Features**

• Easy to use in limited space



Sales Price \$52.60

#### WILLIAMS

#### 67 PIECE 1/4" DRIVE SOCKET SET

6 Point Rugged-Case-System Tool Set, SAE and Metric

Product Code	Description	List Price	Sales Price
50602	67 Piece 1/4" Drive Socket Set	\$257.20	\$128.60







#### WILLIAMS

#### 63 PIECE 3/8" DRIVE SOCKET, SCREWDRIVER, & WRENCH SET

6 & 12 Point Rugged-Case-System Tool Set, SAE and Metric

Product Code	Description	List Price	Sales Price
50605	63 Piece 3/8" Drive Socket Set	\$309.75	\$154.90



#### 61 PIECE 1/2" DRIVE SOCKET & TOOL SET

6 Point Rugged-Case-System Tool Set, SAE and Metric

Product Code	Description	List Price	Sales Price
50617	61 Piece Socket, Wrench, and Screwdriver Set	\$492.00	\$246.00











#### 20 PIECE 3/4" SOCKET SET

12 Point Rugged-Case-System Tool Set, SAE

Product Code	Description	List Price	Sales Price
33903	20 Piece 3/4" Socket Set	\$767.85	\$383.95

#### **Features**

- Extended Handle extends from 23-1/2" to 36"
- $\cdot \ \mathsf{Sockets} \ \mathsf{feature} \ \mathsf{SUPERTORQUE}^* \ \mathsf{lobular} \ \mathsf{openings} \ \mathsf{for} \ \mathsf{greater} \ \mathsf{turning} \ \mathsf{power} \ \mathsf{without} \ \mathsf{deforming} \ \mathsf{the} \ \mathsf{fastener}$
- Packed in rugged high-density polyethylene (HDPE) cases that are strong and durable yet light in weight
- Case is shock proof at both high and low temperatures, equipped with heavy-duty metal latches and hinges
- Two-component handles are easy to grip and comfortable to carry









Sales Price \$ 93.95





23071





#### 6 PIECE GENERAL SERVICE PLIERS SET

Double-Dipped Plasti	c Handles		
Product Code	Description		
PLS-6A	6 Piece General Service Pliers Set		
Contents Include:			
Product Code	Description		
PL-1519C	5" utility superjoint		
PL-1520C	10" utility superjoint		
PL-46C	6" diagonal cutting		
PL-76C	6 1/2" chain nose side cutters		
2628G-180	7" side cutting		
23503	8 <sup>1</sup> / <sub>4</sub> " front-end stripper		

#### **Features**

- Combines Williams' most popular pliers in to a single set.
- 6 piece set packaged in a pouch.

#### WILLIAMS

#### LOCKING PLIERS AND SET

#### **Bi-Mold Comfort Grip Handles**

Product Code	Overall Length (Inches)	Style	List Price	Sales Price
23201	5	Curved Jaw with Cutter	\$20.25	\$10.15
23202	7	Curved Jaw with Cutter	\$21.80	\$10.90
23203	10	Curved Jaw with Cutter	\$23.25	\$11.65
23210	7	Straight Jaw	\$21.80	\$10.90
23211	10	Straight Jaw	\$23.25	\$11.65
23220	6	Long Nose with cutter	\$22.40	\$11.20
23221	9	Long Nose with cutter	\$24.60	\$12.30

#### **Locking Pliers Sets**

-		_		_
Product Code	Description	List Price	Sales Price	2
23070	3 Piece Locking Pliers Set with Bi-Mold			
	Comfort Grip Handles	\$58.70	\$29.35	
Contents Incl	ude:			
Product Code	Description			
23201	5" Curved Jaw Locking Pliers	with Cutter		
23202	7" Curved Jaw Locking Pliers with Cutter			
23203	10" Curved Jaw Locking Plier	s with Cutter		

Product Code	Description	List Price	Sales Price	
23071	3 Piece Locking Pliers Set with Bi-Mold			
	Comfort Grip Handles	\$58.70	\$29.35	
Contents Incl Product Code	ude: Description			
23203 23210	7" Straight Jaw Lockin	10" Curved Jaw Locking Pliers with Cutter 7" Straight Jaw Locking Pliers		
23220	6" Long Nose Locking Pliers	6" Long Nose Locking Pliers with Cutter		

#### Features

- Bi-mold handles provide comfortable grip, reducing hand fatigue.
- · Convenient one-hand release lever.
- Heavy-duty jaw surfaces provide extra gripping power.
- · Packed in a pouch.

### **Snap-27** Industrial Brands



#### WILLIAMS





#### 19 PIECE COMBINATION SCREWDRIVER SET

Premium Comfort Crip & Three Component handle with Black Oxide Tips

Floudet Code		Description	
100P-19MD	19 Piece Com	bination Screwdriver Set	
Contents Incl	ude:		
Product Code	Overall Length (Inches)	Blade Length (Inches)	Tip Width/Point Size
BE8020L	6	3	Cabinet Tip 1/8"
BE-8220	9	5	Cabinet Tip 1/8"
BE-8240	11 3/4	7	Cabinet Tip 5/32"
SDE-43	6 11/16	3	Electrician's Tip 3/16"
SDE-46	9 11/16	6	Electrician's Tip 3/16"
SDS-62	3 ½	1 3/4	Slotted 1/4" Stubby

SDP-2-ST 3 1/2 Phillips #2 Stubby 1 1/2 BE-8600 Phillips #0 6 1/2 2 3/16 SDP-1-3 Phillips #1 61/4 3 BE-8610L Phillips #1 x 8" 12 3/4 8 SDP-2-4 7 15/16 Phillips #2 SDP-2-8 Phillips #2 12 SDP-3-6 10 1/2 Phillips #3 SDP-4-6 10 3/4 Phillips #4 SDR-24 7 1/8 Slotted 1/4 SDR-26 10 11/16 Slotted 5/16 SDR-28 12 11/16 8 Slotted 3/8" SDS-33 17 13/16 12 Slotted 3/8 SDR-22 Slotted 3/16"



100P-19MD List Price \$ 227.25

Sales Price \$ 113.65



#### Features

- Set contains a comprehensive assortment of screwdrivers to get the job done
- Williams comfort grip handle with thumb stop allow for added turning power without discomfort or slippage
- Bahco's three component ergonomically designed handle provides comfort and maximum grip even with oily hands.

#### WILLIAMS

#### LONG SHAFT NUTDRIVERS, MM

**Cushion Grip Handle** 24061 12 Piece Nutdriver Set in Plastic Tray Contents Include: 4, 5, 5.5, 6, 7 & 8 mm



24061 List Price \$ 160.45


Sales Price \$80.25



#### LONG SHAFT NUTDRIVERS, SAE

**Cushion Grip Handle** 

24051 9 Piece Nutdriver Set in Plastic Tray Contents Include: 3/16, 1/4, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16, 5/8



24051 List Price \$ 132.85

Sales Price \$ 66.40

Toll Free Ontario: 1-800-263-9244 - Toll Free Calgary: 1-800-663-4779

http://www.torqueproductscanada.ca





WRST4



#### MAGNETIC RATCHETING SCREWDRIVER

#### Comfort Grip Handle

Product Code	Overall Length (Inches)	Blade Length (Inches)	List Price	Sales Price
WRS-1	9	4	\$66.15	\$33.10

#### **Features**

- Includes 5 bits: 2 slotted, #1 Phillips\*, #2 Phillips\*, and T-15 Torx\*.
- $\bullet \quad \hbox{Ergonomically designed handle for greater user comfort and control.}$
- Hi-impact plastic handle for durability and flexibility in all types of work applications.
- Heavy-duty 3-way On-Off-Locked ratcheting mechanism allows consistent and smooth operation.
- Powerful magnetic shank securely holds bit in place before, during and after the job application.
- · Stainless steel shank eliminates problems of chrome chipping or rust.
- · Easy bit storage in handle.
- Accepts all standard 1/4" hex shank bits.

#### WILLIAMS

#### T-HANDLE RATCHETING SCREWDRIVER

#### Comfort Grip T-Handles

Product Code	Overall Length (Inches)	Blade Length (Inches)	List Price	Sales Price
WRST1	3 7/8	2	\$58.00	\$29.00
WRST4	5 <sup>13</sup> / <sub>16</sub>	3 7/8	\$58.00	\$29.00
WRST8	9 <sup>13</sup> / <sub>16</sub>	7 7/8	\$66.15	\$33.10

#### **Features**

- Includes #2 Phillips<sup>®</sup> bit.
- Ergonomically designed T-Handle fits the palm and provides extra leverage.
- Hi-impact plastic handle for durability and flexibility in all types of work applications.
- Heavy-duty 3-way On-Off-Locked ratcheting mechanism allows consistent and smooth operation.
- · Stainless steel shank eliminates problems of chrome chipping or rust.
- Accept all standard 1/4" hex shank bits.



#### WILLIAMS

#### MAINTENANCE KITS

- Sets are portable for easy use in the plant or on the job site
- Custom fitted, rugged blow molded storage case
- 10 ton set has wheels for easy movement
- Designed for applications of pushing, spreading, pressing and more
- Pumps are rated from 8,000 to 10,000 psi



## Sandflex® M42

# Buy 5 Coils and Receive a Coil for FREE!!!

or

# Buy 5 Loops and Receive a Loop for FREE!!!



- Perfect for solids, bundles, pipes, profiles and castings.
- Designed for production and general purpose application sawing.
  - Coil Offer valid for 250 ft coils
     All coils supplied within plus
     or minus 10 % of order size.
    - \* Free coil or loop of equal or lesser value

Dimension		Teeth Per Inch						List	List		
	14/18	10/14	8/12	6/10	5/8	4/6	3/4	2/3	1.4/2	Price Per Foot	Price Per Weld
1/2 x .020	Х	Х								\$4.38	\$14.79
1/2 x .025	Х	Х	Х	Х						\$4.38	\$14.79
1/2 x .035		Х		Х						\$4.38	\$14.79
3/4 x .035		Х	Х	Х	Х	Х				\$4.71	\$14.79
1 x .035		Х	Х	Х	Х	Х	Х	Х		\$5.25	\$17.48
1-1/4 x .042				Х	Х	Х	Х	Х		\$6.27	\$19.49
1-1/2 x .050				Х	Х	Х	Х	Х		\$5.56	\$21.35
2 x .063						Х	Х	Х	Х	\$10.84	\$25.25

Toll Free Ontario: 1-800-263-9244 - Toll Free Calgary: 1-800-663-4779

http://www.torqueproductscanada.ca